	PROJECT NAME:	_CATALOG NUMBER:
MICIALITE	NOTES:	FIXTURE SCHEDULE:
A NEW WAVE OF LIGHT	140 120.	

Page: 1 of 3

LED MR16 LAMPS GU10 JA8 SERIES

A A

















PRODUCT DESCRIPTION:

Providing years of high-quality light at a fraction of the energy consumed by halogen lamps, MaxLite's LED MR16 Lamps are ideal for directional lighting in retail, hospitality and residential spaces.

FEATURES:

• Wattage: 6.5W, replaces 50W Inc.

Lumens: 500Input Voltage: 120V

• Color Rendering Index (CRI): 92-93

Power Factor: ≥0.90
Dimmable down to 10%
Beam Angle: 40°
Energy Star certified

Color Temperature: 2700K & 3000KSupports Compliance of JA8-2016-E

• Supports Compliance of CEC Title 20 2016

• UV and IR free

• Suitable for use in damp locations

• Not for use in fully enclosed luminaires

• Five year standard warranty

• Life hours: 25,000Hrs

APPLICATIONS:

- Home
- Office
- Retail
- Hospitality
- Accent/display lighting
- Track lighting

WARRANTY:

5-year standard warranty

(further details available at www.maxlite.com/warranties)

Product may be eligible for a warranty extension to 10 years, for an additional fee. Contact MaxLite for details.

MODEL SELECTION (Full list of o	rder codes on pg. 2)	Typical order example: 6.5MR16GUD930FL/JA8			
6.5MR16 GU		D		FL/JA8	
FAMILY	BASE	DIMMABILITY	CRI & COLOR TEMP	BEAM	
6.5MR16= 6.5W, MR16	GU= GU10 (120V)	D= Dimmable	927= 92 CRI, 2700K 930= 93 CRI, 3000K	FL/JA8= 40° Flood	

NOTES:

1. See page 3 for compatible dimmers



LED MR16 LAMP GU10 JA8 SERIES

Page: 2 of 3

SPECIFICATIONS:		6.5MR16GUD927FL/JA8	6.5MR16GUD930FL/JA8			
ITEM SPECIFICATION		DETAILS	DETAILS			
	Power Consumption	6.5W				
	Lumens Delivered	500				
	Efficacy	77 lm/W				
GENERAL PERFORMANCE	CRI	92	93			
	Beam Angle	40°				
	Color Temperature (CCT)	2700K	3000K			
	Lumen Maintenance (L70)	25,000 Hours				
ELECTRICAL	Power Factor	≥0.90				
ELECTRICAL	Input Voltage	120V				
PHYSICAL	Base Type	GU10				
PHYSICAL	Operating Temperature	-4°F - 104°F				
	Suitable for totally enclosed luminaires	No	No			
CERTIFICATION	Certification	cULus, ENERGY STAR certified, Supports Compliance of CEC Title 20 2016, Supports Compliance of JA8-2016-E				
	Environment	Dry & Damp				
	Warranty	5 Year standard warranty				

ORDERING:

ORDER CODE	MODEL	ENERGY STAR	WATTS	EQUIVALENCY	LUMENS	CBCP (cd)	CRI	сст	BASE	BEAM ANGLE
14098882	6.5MR16GUD927FL/JA8	^	6.5	50W	500	759	92	2700K	- GU10	40°
14098883	6.5MR16GUD930FL/JA8	^				740	93	3000K		

[★] ENERGY STAR certified



Phone: 1-800-555-5629 | Fax: 973-244-7333 | Web: www.maxlite.com | E-mail: info@maxlite.com | Revised: 08-05-19



LED MR16 LAMP GU10 JA8 SERIES

Page: 3 of 3

DIMMER COMPATIBILITY - 6.5MR16GUDLED9xxFL/JA8 (120V)

BRAND	MODEL NUMBER	COMPATIBILITY
GENERAL PROTECHT	LUXDM600-12	GOOD
	6672	GOOD
	6684	GOOD
	6631-A	GOOD
LEVITON	6631-LA	GOOD
	IPI06-1LZ	GOOD
	IPIP06	GOOD
	S-600P-WH	GOOD
	AY-600PH-WH	GOOD
	CT-103P-WH	GOOD
	D-600PH-DK	GOOD
	D-600R-WH	GOOD
	DV-600P-WH	GOOD
	DV-603P	GOOD
	DV-603PH-WH	GOOD
	DV-603PR	GOOD
	DVCL-153P-WH	GOOD
	DVCL-153PH	GOOD
	DVCL-153PH	GOOD
	DVWCL-153PH-WH	GOOD
LUTRON	MACL-153M-WH	GOOD
	MAW-600	GOOD
	MSCL-OP153MH-WH	GOOD
	S-600	GOOD
	S-600-AL	GOOD
	S-600-IV	GOOD
	S-600PR-WH	GOOD
	S-603PH-WH	GOOD
	SCL-153P-WH	GOOD
	TG-600PH-IV	GOOD
	TG-600PH-WH	GOOD
	TGCL-153PH-WH	GOOD
	TGCL-153PLH-WH	GOOD

BRAND	MODEL NUMBER	COMPATIBILITY
LEGRAND	HCL453PTC	GOOD
LEGRAND	HCL453PW	GOOD
CTL	DM600-12-3	GOOD
MAXXIMA	MEW-DM600	GOOD
COOPER	AAL06-C1	GOOD

Specifications are subject to change without notice.