

ENCLOSED FROSTED FILAMENT LAMPS
BA10/ B10 FROSTED FILAMENT SERIES



Blunt tip



Bent tip



PRODUCT DESCRIPTION:

Energy-saving LED filament lamps reproduce the classic style of incandescent bulbs for hospitality, restaurant, residential and retail applications. Ideal for chandeliers, and other decorative fixtures, the LED filaments are encased in a frosted glass housing that delivers soft light with reduced glare. Available in traditional flame tip or torpedo shapes, the lamps are dimmable to create the perfect ambience, and increase energy savings.

FEATURES:

- Wattage: 3.5W, replaces 40W, 5W replaced 60W
- Torpedo or Flame Tip shapes
- Lumens: 325 and 525 lumens
- Efficacy (lm/W): ≥92
- Volts: 120V
- Frequency: 60Hz
- CRI: 80
- Base: E12 Candelabra and E26 Medium
- Power Factor: 0.70
- Dimmable: Triac
- Operating temperature range: - 4°F-104°F
- 15,000 hour life at L70 standards
- ENERGY STAR certified
- Suitable for wet locations
- Suitable for use in enclosed luminaires

APPLICATIONS

- Chandeliers
- Decorative lighting fixtures

WARRANTY:

3-year standard warranty
(further details available at www.maxlite.com/warranties)

MODEL SELECTION (Full list of order codes on pg. 2)		Typical order example: EFF3.5B1027C	
FAMILY	SHAPE	COLOR TEMPERATURE	BASE
EFF3.5= Enclosed Frosted Filament, 3.5 Watt EFF5= Enclosed Frosted Filament, 5 Watt	B10= Blunt Tip Filament lamps BA10= Bent Tip Filament lamps	27= 2700K	OMIT= E26 Base C= E12 Base

NOTES:

1. See page 3 for a list of compatible dimmers.

SPECIFICATIONS:

		EFF3.5B1027X	EFF5B1027X
ITEM	SPECIFICATION	DETAILS	
GENERAL PERFORMANCE	Wattage (W)	3.5W	5W
	Lumens Delivered (lm)	325 lm	525 lm
	Efficacy (lm/W)	92	105
	Equivalency	40W, 60W	
	CRI	80	
	Color Temperature	2700K	
	Lumen Maintenance (L70)	15,000 hours	
ELECTRICAL	Power Factor	≥0.70	
	Input Voltage	120V	
PHYSICAL	Operating Temperature	-4°F - 104°F	
	Base	E26, E12	
APPLICATION	Environment	Wet location	
	Certification	cULus Listed, ENERGY STAR	
	Warranty	3 Year	

ORDERING:

ORDER CODE	MODEL	ENERGY STAR	WATTAGE	DELIVERED LUMENS	INCANDESCENT EQUIVALENCY	BASE	CRI	CCT (K)	QTY IN CASE
14101726	EFF3.5BA1027C	2344828	3.5W	325	40W	E12	80	2700K	100 PCS
14101728	EFF3.5BA1027	2344851	3.5W	325	40W	E26			
14101727	EFF3.5B1027C	2344827	3.5W	325	40W	E12			
14101729	EFF3.5B1027	2344850	3.5W	325	40W	E26			
14101730	EFF5BA1027C	2344853	5W	525	60W	E12			
14101732	EFF5BA1027	2344872	5W	525	60W	E26			
14101731	EFF5B1027C	2344854	5W	525	60W	E12			
14101733	EFF5B1027	2344871	5W	525	60W	E26			

COMPATIBLE DIMMERS:

MANUFACTURE	DIMMERS PART #
ADRONE	ADWR703HW4
AH	SDM/600
ALMOND	LUXDM600-12
COOPER	SAL06P-W-K
CTL	DM600-12-3/LED/WH
LEGRAND	HCL453PTC
LEVITON	6684
	603-6631-A
	6631-A
	6631-LA
	NO.6683
	IPI06-1LZ 600W
	IPE04-1LZ
	NO.6672
	NO.6631
	6681
LUTRON	D-600PH-DK
	CTCL-153P-WH
	S-600
	S-600PR-WH
	CT-103P-WH
	D-600R-IV
	D-600R-WH
	D-600RH-DK
	DV-600PH-WH
	DV-603PH-WH
	DV-603PR
	DVW-600PH-WH
	MAW-600H-AL
	S-10PH
	S-600-AL
	S-600-IV
	S-600H-WH
	S-603PGH-WH
	S-603PH-WH
	TGCL-153PH-WH
	DVCL-153PH
	DVWCL-153PH-WHC

MANUFACTURE	DIMMERS PART #
LUTRON	TG-600PH-WH
	AYCL-153P-WH
	MACL-153M-WH
	MACL-153MLH-WH
	S-600P-WH
	AYCL-153PH
	DV-600P-WH
	DVCL-153P-WH-3
	DVCL-253PH
	LECL-153PH-WH
	MACL-153MH-WH
	MSCL-OP153MH-WH
	SCL-153PH-WH
	TG-600PNLH-WH
TG-603PGH-WH	
TGCL-153PH-WH	
MAXXIMA	MEW-DM600