

## LED OMNIDIRECTIONAL A-LAMP A19, A21 SERIES



7W, 10W

12W

17W



7W, 10W

12W

17W



### PRODUCT DESCRIPTION:

MaxLite's versatile, LED Omnidirectional A-Line lamps replicate true A19 and A21 incandescents with a 300-degree beam angle that produces even light in all directions. They are suited to a wide variety of residential and commercial applications, including chandeliers, pendants, wall sconces and table and floor lamps. The 7-, 10-, 12- and 17-watt lamps replace 40-, 60-, 75- and 100-watt incandescent bulbs, respectively, and yield more than 80 percent savings in energy. LED Omnidirectional A-Line lamps are dimmable down to 10 percent on a wide variety of dimming control systems. They are offered in a standard medium base, which enables convenient screw-in, as well as GU24-base installation into existing lamps and fixtures that are used for both residential and commercial applications.

### FEATURES:

- 25,000 hour life (L70 standards)
- CRI: 82
- Dimmable down to 10 percent
- Saves more than 80 percent on energy
- Power factor: > .9
- Standard E26 base & GU24 base
- Five year limited warranty

### APPLICATIONS

- Chandeliers
- Pendants
- Table and floor lamps
- Sconces
- Not for use in fully enclosed luminaires
- Suitable for use in damp locations

### MODEL SELECTION (Full list of order codes on pg. 3)

Typical order example: 10A19DLED27

MODEL SELECTION		Typical order example: 10A19DLED27		
FAMILY	BASE	DIMMABILITY	COLOR RENDERING INDEX (CRI)*	CCT
<b>7A19=</b> 7 watts, A19 <b>10A19=</b> 10 watts, A19 <b>12A19=</b> 12 watts, A19 <b>17A21=</b> 17 watts, A21	<b>(OMIT)=</b> E26  <b>GU=</b> GU24	<b>DLED=</b> Dimmable	<b>(OMIT)=</b> 82  <b>9=</b> 90+	<b>27=</b> 2700K <b>30=</b> 3000K <b>41=</b> 4100K

### COMPATIBLE DIMMERS:

MAKE	DIMMER MODEL
Lutron	CTCL-153P
Lutron	DVCL-153P
Lutron	LGCL-153P
Lutron	S-600

MAKE	DIMMER MODEL
Leviton	IPL06
Leviton	IP110
Leviton	6631-LW
Leviton	6683-IW

### NOTES:

- \* 90+ CRI available in 12W (60W Equiv.) and 3000K only.

**SPECIFICATIONS:**

		40W EQUIV.	60W EQUIV.	75W EQUIV.	100W EQUIV.	
ITEM	SPECIFICATION	DETAILS				
GENERAL PERFORMANCE	Power Consumption	7W	10W	12W	12W	17W
	Lumens Delivered	470	800	800	1100	1600
	Efficacy	67 lm/w	80 lm/w	67 lm/w	92 lm/w	94 lm/w
	CRI	82	82	90+	82	82
	Color Temperature (CCT)	2700K, 3000K, 4100K				
	Lumen Maintenance (L70)	25,000 Hours				
ELECTRICAL	Power Factor	≥.90				
	Input Voltage	120V				
PHYSICAL	Base Type	E26, GU24				
	Operating Temperature	-4°F - 104°F				
CERTIFICATION	Environment	Dry, Damp				
	Warranty	5 Year Limited				

Lighting layouts and spacing criteria available upon request

**ORDERING:**

ORDER CODE	MODEL	WATTS	EQUIVALENCY	OUTPUT (LUMENS)	DIMENSIONS	CCT
<b>E26 Base</b>						
73612	7A19DLED27	7	40	470	2.50" x 4.40"	2700K
73613	7A19DLED30	7	40	470	2.50" x 4.40"	3000K
73614	7A19DLED41	7	40	470	2.50" x 4.40"	4100K
73581	10A19DLED27	10	60	800	2.50" x 4.40"	2700K
73615	10A19DLED30	10	60	800	2.50" x 4.40"	3000K
73616	10A19DLED41	10	60	800	2.50" x 4.40"	4100K
73582	12A19DLED27	12	75	1100	2.50" x 4.40"	2700K
73617	12A19DLED30	12	75	1100	2.50" x 4.40"	3000K
73618	12A19DLED41	12	75	1100	2.50" x 4.40"	4100K
73583	17A21DLED27	17	100	1600	2.74" x 5.06"	2700K
73619	17A21DLED30	17	100	1600	2.74" x 5.06"	3000K
73620	17A21DLED41	17	100	1600	2.74" x 5.06"	4100K
<b>E26 Base 90+ CRI</b>						
73708	12A19DLED930	12	60	800	2.50" x 4.40"	3000K
<b>GU24 Base</b>						
73621	7A19GUDLED27	7	40	470	2.50" x 4.38"	2700K
73622	7A19GUDLED30	7	40	470	2.50" x 4.38"	3000K
73623	7A19GUDLED41	7	40	470	2.50" x 4.38"	4100K
73624	10A19GUDLED27	10	60	800	2.50" x 4.38"	2700K
73625	10A19GUDLED30	10	60	800	2.50" x 4.38"	3000K
73626	10A19GUDLED41	10	60	800	2.50" x 4.38"	4100K
73627	12A19GUDLED27	12	75	1100	2.50" x 4.38"	2700K
73628	12A19GUDLED30	12	75	1100	2.50" x 4.38"	3000K
73629	12A19GUDLED41	12	75	1100	2.50" x 4.38"	4100K
73630	17A21GUDLED27	17	100	1600	2.74" x 4.90"	2700K
73631	17A21GUDLED30	17	100	1600	2.74" x 4.90"	3000K
73632	17A21GUDLED41	17	100	1600	2.74" x 4.90"	4100K
<b>GU24 Base 90+ CRI</b>						
74026	12A19GUDLED930	12	60	800	2.50" x 4.38"	3000K

Please contact your MaxLite representative to order products that don't have order codes listed here.