



MaxLite[®]

A NEW WAVE OF LIGHT

LED Lamp Catalog

Our Vision:

Transform the way people experience light

MaxLite has provided certified energy-efficient lighting solutions to the commercial building, industrial, residential and OEM markets since 1993. One of the first movers into LED technology in the industry, MaxLite offers an extensive line of state-of-the-art indoor and outdoor LED lamps and luminaires. We are a five-time recipient of the prestigious ENERGY STAR® Partner of the Year Award for our industry leadership and continue to be at the forefront of energy efficient technologies through innovative product research and development.



(HQ) West Caldwell, NJ

Our Products:

MaxLite supports its products with the highest standards of quality assurance and customer support. Most MaxLite LED products are certified by ENERGY STAR® and listed by DesignLights Consortium® (DLC), rendering them eligible for utility rebate programs. MaxLite also offers a large selection of lamps and luminaires that meet Title 20 requirements and are Title 24 JA8-2016/2019-E listed. We keep our products in stock and available for immediate purchase and delivery, shipping within the United States in two business days on standard orders.



Greenwood, IN

Our Services:

We work with our customers to ensure that our products meet the needs of their installation by providing a full range of complimentary services, including:

- Facility audits
- ROI calculations
- Local representation
- Lighting layouts
- Utility rebate assistance
- Lifetime product support



Anaheim, CA



Industry-Leading Warranty Coverage

Go to MaxLite.com/warranties for applicable terms and conditions.



Design Innovation

Our products have received numerous awards, including:



Key Distribution Segments & Strengths

STOCK & FLOW Counter Business MRO



PROJECT SALES Quick Ship



DESIGN-BUILD Value Engineered



ENERGY SERVICES ESCO



NATIONAL ACCOUNTS National Chains



LED A Lamps p. 4-9

Omnidirectional Non-Dimmable Value Series A Lamps	5
Omnidirectional Non-Dimmable A Lamps	5
Omnidirectional Dimmable A Lamps	6
High Output Omnidirectional Dimmable 120V A Lamps	7
High Output Omnidirectional Non-Dimmable 120-277V A Lamps	7
Enclosed Rated Omnidirectional Title 20/JA8 Certified A Lamps	8
Omnidirectional Rough Service A Lamps	8
Omnidirectional 3-Way A Lamps	9
Omnidirectional T20 Certified 3-Way A Lamps	9

LED Reflector Lamps p. 10-15

Value Series Dimmable Reflector Lamps	11
High CRI T20 Dimmable BR30 Reflector Lamps	11
BR Dimmable Reflector Lamps	12
Value Series PAR Lamps	13
PAR T20/JA8 PAR Lamps	13
Wet Rated Dimmable PAR Reflector Lamps	14
277V PAR Lamps	15
High Output PAR Lamps	15

LED Filament Lamps p. 16-21

Filament Globe Lamps	17
Filament A15 Lamps	17
Filament B10 Lamps	18
Frosted Filament B10 Lamps	18
Filament T20/JA8 B10 Lamps	19
Filament T Lamps	19
Filament Non-Dimmable A Lamps	20
Frosted Filament A Lamps	20
Filament T20/JA8 A Lamps	20
Filament Marquee Lamps	21
Filament Edison Shape Lamps	21

LED PL Lamps p. 22-23

PL Retrofit Lamps (UL Type-B)	23
PL DirectFit Retrofit Lamps (UL Type-A)	23

LED PLL Lamps p. 24-25

PLL DirectFit Lamps	25
PLL Bypass Lamps	25

LED Post Top Lamps p. 26-27

Post Top Lamps	27
----------------------	----

LED High Bay Lamps p. 28-29

DirectFit High Bay Lamps (UL Type-A)	29
--	----

LED Linear Lamps p. 30-36

DirectFit T8 Linear Lamps (UL Type-A+B)	31
DirectFit Value T8 Linear Lamps (UL Type-A)	31
DirectFit T8 Linear Lamps (UL Type-A)	31
BAA DirectFit T8 Linear Lamps (UL Type-A)	32
DirectFit U-Bend T8 Linear Lamps (UL Type-A)	32
Single/Double Ended T8 Linear Lamps (UL Type-B)	33
Internal Driver T8 Linear Lamps (UL Type-B)	33
Internal Driver U-Bend T8 Linear Lamps (UL Type-B)	34
BAA T8 Linear Lamps (UL Type-B)	34
External Driver T8 Linear Lamps (UL Type-C)	35
External Drivers	35
DirectFit T5 Linear Lamps (UL Type-A)	36
Single Ended T5 Linear Lamps (UL Type-B)	36
High Efficiency T5 Linear Lamps (UL Type-B)	36
High Output T5 Linear Lamps (UL Type-B)	36

LED Lamp/Bulb Quick Reference Guide

LED bulbs come in many shapes and size for use throughout your home or business!



Standard A Bulbs

LED A shape bulbs disperse light in all directions, making them ideal for table and floor lamps, and flush or semi-flush hallway, kitchen and bath fixtures.



PAR & BR Bulbs

Also known as recessed lights, these LED bulbs fit into sockets or cans mounted in the ceiling for downlights.



Globe Light Bulbs

Globe LED bulbs emit light in every direction, making them ideal for vanity lights.



Candelabra Bulbs

Offered in torpedo or flame tips, LED candelabra bulbs emulate the look of a candle and lend a decorative touch to wall sconces and decorative chandeliers.



Filament Bulbs

Also known as Edison bulbs, these bulbs have LED filaments that replicate the nostalgic look and feel of incandescent filament bulbs.



High Bay Retrofits

High Bay Retrofit Lamps are plug-and-play, energy-saving replacements for HID bulbs in existing high bay fixtures. The lamp screws directly into Mogul-based sockets and operates off the existing ballast - no rewiring or extra labor required.



Post Top Retrofits

Post Top LED lamps replace HID bulbs in high bay and low bay fixtures and decorative post top luminaires. Designed to retrofit E26, E39 or EX39 sockets with a simple ballast bypass, these LED lamps deliver high quality illumination at 60 percent energy savings vs. conventional light sources.



PL Lamps

These lamps replace plug-in CFL bulbs in recessed cans, sconces and ceiling fixtures common in retail stores, hotels and apartment buildings. Consider base type, horizontal or vertical mounting, and ballast bypass vs. ballast compatible to select the appropriate LED replacement.

Replacing fluorescent tubes with LED is the simple way to save energy!




PLL Lamps

The extra "L" stands for long with these 4-pin (2G11) based lamps that are typically used in 2'x2' troffers, wall sconces, and specialty applications such as aquariums.



T8 U-Bend

These curved LED lamps can replace fluorescent tubes in T8 U-bend troffers, including fully enclosed luminaires.



T8 & T5 Linear

LED linear lamps replace fluorescent tubes in common commercial and industrial fixtures such as high bays, parabolic troffers, pendants and utility fixtures. The "T" indicates the shape of the lamp ("tubular"), while the number represents the diameter in eighths of an inch (T8=1 inch, T5=5/8 inch).

Because they produce more concentrated light, T5 lamps are best suited for indirect lighting. T8 tubes are widely used as a replacement for 32W fluorescents in general lighting applications.

Base Types



E26



GU24



E12



EX39



G24q



GX23



2G11



G13



G5

LED A Lamps



Omnidirectional Non-Dimmable Value Series A Lamps



A19 - E26 BASE
6W & 9W



A19 - E26 BASE
11W & 14W

CCTs Available:

2700K

3000K

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	  	QTY PER CASE
E6A19NDV27	102600	6	40W Inc.	450	81	80	2700	A19	E26	11,000		96
E6A19NDV30	102602	6	40W Inc.	450	81	80	3000	A19	E26	11,000		96
E6A19NDV50	102603	6	40W Inc.	450	81	80	5000	A19	E26	11,000		96
E9A19NDV27	102604	9	60W Inc.	800	94	80	2700	A19	E26	11,000		96
E9A19NDV30	102606	9	60W Inc.	800	94	80	3000	A19	E26	11,000		96
E9A19NDV40	103100	9	60W Inc.	800	94	80	4000	A19	E26	11,000		96
E9A19NDV50	102607	9	60W Inc.	800	94	80	5000	A19	E26	11,000		96
E11A19NDV27	102575	11	75W Inc.	1,100	100	80	2700	A19	E26	11,000		96
E11A19NDV30	102576	11	75W Inc.	1,100	100	80	3000	A19	E26	11,000		96
E11A19NDV50	102577	11	75W Inc.	1,100	100	80	5000	A19	E26	11,000		96
E14A19NDV27	102578	14	100W Inc.	1,500	107	80	2700	A19	E26	11,000		96
E14A19NDV30	102579	14	100W Inc.	1,500	107	80	3000	A19	E26	11,000		96
E14A19NDV40	103103	14	100W Inc.	1,500	107	80	4000	A19	E26	11,000		96
E14A19NDV50	102580	14	100W Inc.	1,500	107	80	5000	A19	E26	11,000		96

E9A19NDVxx and E14A19NDVxx are available in 4 packs. Please contact Maxlite for ordering information.

Omnidirectional Non-Dimmable A Lamps



A19 - E26 BASE
9W & 11W






A19 - E26 BASE
15W

CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	  	QTY PER CASE
E9A19ND27/G3	14099661	9	60W Inc.	800	89	82	2700	A19	E26	25,000	★	50
E9A19ND30/G3	14099663	9	60W Inc.	800	89	84	3000	A19	E26	25,000	★	50
E11A19ND27/G3	14099664	11	75W Inc.	1,100	100	83	2700	A19	E26	25,000	★	96
E15A19ND27/G3	14099666	15	100W Inc.	1,600	107	83	2700	A19	E26	25,000	★	50
E15A19ND30/G3	14099668	15	100W Inc.	1,600	107	80	3000	A19	E26	25,000	★	50

Omnidirectional Dimmable A Lamps



A19 (G8) - E26 BASE
6W, 9W, 11W & 15W



A19 (G7) - GU24 BASE
6W, 9W, 11W & 15W

CCTs Available:




2700K

3000K

4000K

5000K



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
E6A19DLED27/G8	14099390	6	40W Inc.	480	80	80	2700	A19	E26	25,000	★			50
E6A19DLED30/G8	14099392	6	40W Inc.	480	80	80	3000	A19	E26	25,000	★			50
E6A19DLED40/G8	14099393	6	40W Inc.	480	80	80	4000	A19	E26	25,000	★			50
E6A19GUDLED27/G7	14099405	6	40W Inc.	480	80	80	2700	A19	GU24	25,000	★			50
E6A19GUDLED30/G7	14099406	6	40W Inc.	480	80	80	3000	A19	GU24	25,000	★			50
E6A19GUDLED40/G7	14099407	6	40W Inc.	480	80	80	4000	A19	GU24	25,000	★			50
E9A19DLED27/G8	14099394	9	60W Inc.	800	89	80	2700	A19	E26	25,000	★			50
E9A19DLED30/G8	14099397	9	60W Inc.	800	89	80	3000	A19	E26	25,000	★			50
E9A19DLED40/G8	14099398	9	60W Inc.	800	89	80	4000	A19	E26	25,000	★			50
E9A19DLED50/G8	103000	9	60W Inc.	800	89	80	5000	A19	E26	25,000	★			50
E9A19GUDLED27/G7	14099408	9	60W Inc.	800	80	80	2700	A19	GU24	25,000	★			50
E9A19GUDLED30/G7	14099409	9	60W Inc.	800	80	80	3000	A19	GU24	25,000	★			50
E9A19GUDLED40/G7	14099410	9	60W Inc.	800	80	80	4000	A19	GU24	25,000	★			50
E11A19DLED27/G8	14099399	11	75W Inc.	1,100	100	80	2700	A19	E26	25,000	★			50
E11A19DLED30/G8	14099400	11	75W Inc.	1,100	100	80	3000	A19	E26	25,000	★			50
E11A19DLED40/G8	14099401	11	75W Inc.	1,100	100	80	4000	A19	E26	25,000	★			50
E11A19GUDLED27/G7	14099411	11	75W Inc.	1,100	80	80	2700	A19	GU24	25,000	★			50
E11A19GUDLED30/G7	14099412	11	75W Inc.	1,100	80	80	3000	A19	GU24	25,000	★			50
E11A19GUDLED40/G7	14099413	11	75W Inc.	1,100	80	80	4000	A19	GU24	25,000	★			50
E15A19DLED27/G8	14099402	15	100W Inc.	1,600	107	80	2700	A19	E26	25,000	★			50
E15A19DLED30/G8	14099403	15	100W Inc.	1,600	107	80	3000	A19	E26	25,000	★			50
E15A19DLED40/G8	14099404	15	100W Inc.	1,600	107	80	4000	A19	E26	25,000	★			50
E15A19GUDLED27/G7	14099414	15	100W Inc.	1,100	80	80	2700	A19	GU24	25,000	★			50
E15A19GUDLED30/G7	14099415	15	100W Inc.	1,600	80	80	3000	A19	GU24	25,000	★			50
E15A19GUDLED40/G7	14099416	15	100W Inc.	1,600	80	80	4000	A19	GU24	25,000	★			50

High Output Omnidirectional Dimmable 120V A Lamps



A21 - E26 BASE
17W & 21W



A23 - E26 BASE
26W

CCTs Available:

- 2700K
- 3000K
- 4000K
- 5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
17A21D27	102721	17	125W Inc.	2,000	117	80	2700	A21	E26	25,000	★			48
17A21D30	102722	17	125W Inc.	2,000	117	80	3000	A21	E26	25,000	★			48
17A21D40	102723	17	125W Inc.	2,000	117	80	4000	A21	E26	25,000	★			48
17A21D50	102724	17	125W Inc.	2,000	117	80	5000	A21	E26	25,000	★			48
21A21D27	102717	21	150W Inc.	2,550	121	80	2700	A21	E26	25,000	★			48
21A21D30	102718	21	150W Inc.	2,600	123	80	3000	A21	E26	25,000	★			48
21A21D40	102719	21	150W Inc.	2,600	123	80	4000	A21	E26	25,000	★			48
21A21D50	102720	21	150W Inc.	2,600	123	80	5000	A21	E26	25,000	★			48
26A23D27	102713	26	200W Inc.	3,005	115	80	2700	A23	E26	25,000	★			30
26A23D30	102714	26	200W Inc.	3,200	123	80	3000	A23	E26	25,000	★			30
26A23D40	102715	26	200W Inc.	3,200	123	80	4000	A23	E26	25,000	★			30
26A23D50	102716	26	200W Inc.	3,200	123	80	5000	A23	E26	25,000	★			30

High Output Omnidirectional Non-Dimmable 120-277V A Lamps



A21 - E26 BASE
17W & 21W



A23 - E26 BASE
26W

CCTs Available:

- 2700K
- 3000K
- 4000K
- 5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
17A21ND27	102733	17	125W Inc.	2,000	117	80	2700	A21	E26	25,000	★			48
17A21ND30	102734	17	125W Inc.	2,000	117	80	3000	A21	E26	25,000	★			48
17A21ND40	102735	17	125W Inc.	2,000	117	80	4000	A21	E26	25,000	★			48
17A21ND50	102736	17	125W Inc.	2,000	117	80	5000	A21	E26	25,000	★			48
21A21ND27	102729	21	150W Inc.	2,550	121	80	2700	A21	E26	25,000	★			48
21A21ND30	102730	21	150W Inc.	2,600	123	80	3000	A21	E26	25,000	★			48
21A21ND40	102731	21	150W Inc.	2,600	123	80	4000	A21	E26	25,000	★			48
21A21ND50	102732	21	150W Inc.	2,600	123	80	5000	A21	E26	25,000	★			48
26A23ND27	102725	26	200W Inc.	3,005	115	80	2700	A23	E26	25,000	★			30
26A23ND30	102726	26	200W Inc.	3,200	123	80	3000	A23	E26	25,000	★			30
26A23ND40	102727	26	200W Inc.	3,200	123	80	4000	A23	E26	25,000	★			30
26A23ND50	102728	26	200W Inc.	3,200	123	80	5000	A23	E26	25,000	★			30

Enclosed Rated Omnidirectional Title 20/JA8 Certified A Lamps



A19 - E26 BASE
5W, 9W & 12W



A19 - GU24 BASE
9W



A21 - E26 BASE
17W

CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	ENERGY STAR	T24 PART 6 JA8 LISTED	T20 LISTED	QTY PER CASE
E5A19D927/JA8	14099798	5	40W Inc.	450	90	92	2700	A19	E26	25,000	★	★	★	50
E9A19D927/JA8	14099800	9	60W Inc.	810	90	92	2700	A19	E26	25,000	★	★	★	50
E9A19D930/JA8	14099801	9	60W Inc.	810	90	92	3000	A19	E26	25,000	★	★	★	50
E9A19GUD927/JA8	102490	9	60W Inc.	810	90	92	2700	A19	GU24	25,000	★	★	★	50
E9A19GUD930/JA8	102491	9	60W Inc.	810	90	92	3000	A19	GU24	25,000	★	★	★	50
E12A19D930/JA8	14099803	12	75W Inc.	1,100	92	90	3000	A19	E26	25,000	★	★	★	50
E12A19D927/JA8	14099802	12	75W Inc.	1,100	92	90	2700	A19	E26	25,000	★	★	★	50
E17A21D927/JA8	14099804	17	100W Inc.	1,600	94	92	2700	A21	E26	25,000	★	★	★	50
E17A21D930/JA8	14099805	17	100W Inc.	1,600	94	92	3000	A21	E26	25,000	★	★	★	50

Omnidirectional Rough Service A Lamps



A19 - E26 BASE
9W & 14W

CCTs Available:

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	ENERGY STAR	T24 PART 6 JA8 LISTED	T20 LISTED	QTY PER CASE
E9A19NDV30RS	102611	9	60W Inc.	800	94	80	3000	A19	E26	11,000	★	★	★	96
E14A19NDV30RS	102406	14	100W Inc.	1500	107	80	3000	A19	E26	11,000	★	★	★	96

Omnidirectional 3-Way A Lamps



3-WAY - E26 BASE
26W



CCTs Available:

2700K

3000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	ENERGY STAR	T24 PART 2 LAMP LISTED DOE/18/018 ENERGY ASSISTANCE	T20 LISTED APPLIANCE EFFICIENCY REGULATIONS	QTY PER CASE
21A21/3W27	14102107	21	50/100/150W Inc.	620/1,600/2,150	89/107/103	80	2700	3-WAY	E26	25,000				48
21A21/3W30	103749	21	50/100/150W Inc.	620/1,600/2,150	89/107/103	80	3000	3-WAY	E26	25,000				48
21A21/3W50	14102108	21	50/100/150W Inc.	620/1,600/2,150	89/107/103	80	5000	3-WAY	E26	25,000				48

Omnidirectional T20 Certified 3-Way A Lamps



3-WAY - E26 BASE
15W



CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	ENERGY STAR	T24 PART 2 LAMP LISTED DOE/18/018 ENERGY ASSISTANCE	T20 LISTED APPLIANCE EFFICIENCY REGULATIONS	QTY PER CASE
15A21/3W927	14098774	15	40/60/100W Inc.	1,500	100	91	2700	3-WAY	E26	25,000				50
15A21/3W930	14098775	15	40/60/100W Inc.	1,500	100	91	3000	3-WAY	E26	25,000				50

LED Reflector Lamps



Value Series Dimmable Reflector Lamps



R20 - E26 BASE
6W



BR30 - E26 BASE
8W



BR40 - E26 BASE
13W




CCTs Available:

2700K

3000K

5000K



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	  	QTY PER CASE
6R20DV27	102574	6	35W Inc.	325	54	82	2700	R20	E26	11,000		96
6R20DV50	102586	6	35W Inc.	325	54	82	5000	R20	E26	11,000		96
8BR30DV27	102620	8	65W Inc.	650	81	82	2700	BR30	E26	11,000		48
8BR30DV30	102628	8	65W Inc.	650	81	82	3000	BR30	E26	11,000		48
8BR30DV50	102588	8	65W Inc.	650	81	82	5000	BR30	E26	11,000		48
13BR40DV27	102630	13	85W Inc.	900	69	82	2700	BR40	E26	11,000		30
13BR40DV30	102627	13	85W Inc.	900	69	82	3000	BR40	E26	11,000		30
13BR40DV50	102631	13	85W Inc.	900	69	82	5000	BR40	E26	11,000		30

High CRI T20 Dimmable BR30 Reflector Lamps








BR30 - E26 BASE
11W

CCTs Available:

2700K

3000K



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	  	QTY PER CASE
11BR30DLED927/G4	107608	11	65W Inc.	800	72	93	2700	BR30	E26	25,000		12
11BR30DLED930/G4	107609	11	65W Inc.	800	72	90	3000	BR30	E26	25,000		12

BR Dimmable Reflector Lamps



BR20 - E26 BASE
6W



BR30 - E26 BASE
8W & 11W



BR40 - E26 BASE
12W & 17W



CCTs Available:

2700K

3000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	  	QTY PER CASE
7BR20DLED27/G3	14099046	7	50W Inc.	550	78	80	2700	BR20	E26	25,000	★	24
7BR20DLED30/G3	14099047	7	50W Inc.	550	78	80	3000	BR20	E26	25,000	★	24
7BR20DLED40/G3	14099048	7	50W Inc.	550	78	80	4000	BR20	E26	25,000	★	24
8BR30DLED30/G3	14099050	8	65W Inc.	650	81	80	3000	BR30	E26	25,000	★	12
8BR30DLED40/G3	14099051	8	65W Inc.	650	81	84	4000	BR30	E26	25,000	★	12
8BR30DLED50/G3	14099657	8	65W Inc.	650	81	80	5000	BR30	E26	25,000	★	12
11BR30DLED27/G3	14099421	11	65W Inc.	850	77	83	2700	BR30	E26	25,000	★	12
11BR30DLED30/G3	14099423	11	65W Inc.	850	77	80	3000	BR30	E26	25,000	★	12
11BR30DLED40/G3	14099424	11	65W Inc.	850	77	84	4000	BR30	E26	25,000	★	12
12BR40DLED27/G3	14099052	12	75W Inc.	1,050	88	82	2700	BR40	E26	25,000	★	12
12BR40DLED30/G3	14099053	12	75W Inc.	1,050	88	84	3000	BR40	E26	25,000	★	12
12BR40DLED40/G3	14099054	12	75W Inc.	1,050	88	84	4000	BR40	E26	25,000	★	12
17BR40DLED27/G3	14099418	17	100W Inc.	1,400	82	82	2700	BR40	E26	25,000	★	12
17BR40DLED30/G3	14099419	17	100W Inc.	1,400	82	84	3000	BR40	E26	25,000	★	12
17BR40DLED40/G3	14099420	17	100W Inc.	1,400	82	85	4000	BR40	E26	25,000	★	12

Value Series PAR Lamps



PAR20 - E26 BASE
7W



PAR30 - E26 BASE
10W



PAR38 - E26 BASE
13W

CCTs Available:

3000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	CBCP (CD)	BULB SHAPE	BEAM ANGLE	BASE TYPE	LIFE (HRS)	ENERGY STAR	T24 LISTED	T20 LISTED	QTY PER CASE
7P20NDV30FL	102646	7	50W Inc.	425	60	82	3000	593	PAR20	40°	E26	11,000				96
7P20NDV50FL	102647	7	50W Inc.	425	60	82	5000	593	PAR20	40°	E26	11,000				96
10P30NDV30FL	102648	10	70W Inc.	750	75	82	3000	1,315	LONG NECK PAR30	40°	E26	11,000				60
10P30NDV50FL	102649	10	70W Inc.	750	75	82	5000	1,315	LONG NECK PAR30	40°	E26	11,000				60
13P38NDV30FL	102650	13	90W Inc.	1,000	76	82	3000	1,533	PAR38	40°	E26	11,000				36
13P38NDV50FL	102651	13	90W Inc.	1,000	76	82	5000	1,533	PAR38	40°	E26	11,000				36

PAR T20/JA8 PAR Lamps



PAR16 - E26 BASE
6W



PAR20 - E26 BASE
6W



PAR30 - E26 BASE
11W



PAR30 - E26 BASE
11W



PAR38 - E26 BASE
14W

CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	CBCP (CD)	BULB SHAPE	BEAM ANGLE	BASE TYPE	LIFE (HRS)	ENERGY STAR	T24 LISTED	T20 LISTED	QTY PER CASE
6P16D927FL/JA8	14101679	6	50W Inc.	500	83	90	2700	908	PAR16	40°	E26	25,000	★	★	★	100
6P16D930FL/JA8	14101680	6	50W Inc.	500	83	90	3000	863	PAR16	40°	E26	25,000	★	★	★	100
6.5P20D927FL/JA8	14101681	6	50W Inc.	575	89	90	2700	1,167	PAR20	40°	E26	25,000	★	★	★	24
6.5P20D930FL/JA8	14101682	6	50W Inc.	575	89	90	3000	1,264	PAR20	40°	E26	25,000	★	★	★	24
11P30D927FL/JA8	14101683	11	75W Inc.	975	89	90	2700	1,447	SHORT NECK PAR30	40°	E26	25,000	★	★	★	24
11P30D930FL/JA8	14101684	11	75W Inc.	975	88.7	90	3000	1,591	SHORT NECK PAR30	40°	E26	25,000	★	★	★	24
11P30LND927FL/JA8	14101685	11	75W Inc.	975	89	90	2700	1,568	LONG NECK PAR30	40°	E26	25,000	★	★	★	24
11P30LND930FL/JA8	14101686	11	75W Inc.	975	88.7	90	3000	1,576	LONG NECK PAR30	40°	E26	25,000	★	★	★	24
14P38D927FL/JA8	14101687	14	100W Inc.	1,250	89.3	90	2700	2,414	PAR38	40°	E26	25,000	★	★	★	24
14P38D930FL/JA8	14101688	14	100W Inc.	1,250	89.3	90	3000	2,435	PAR38	40°	E26	25,000	★	★	★	24

Wet Rated Dimmable PAR Reflector Lamps



PAR20 - E26 BASE
7W



PAR30 - E26 BASE
11W



PAR30 - E26 BASE
11W



PAR38 - E26 BASE
13W & 15W

CCTs Available:

2700K

3000K

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	CBCP (CD)	BULB SHAPE	BEAM ANGLE	BASE TYPE	LIFE (HRS)	ENERGY STAR	LISTED	V24	T20	QTY PER CASE
7P20WD27FL	14099200	7	50W Inc.	500	71	83	2700	593	PAR20	40°	E26	25,000	★				24
7P20WD27NF	14099213	7	50W Inc.	500	71	83	2700	898	PAR20	30°	E26	25,000	★				24
7P20WD30FL	14099201	7	50W Inc.	500	71	84	3000	593	PAR20	40°	E26	25,000	★				24
7P20WD30NF	14099214	7	50W Inc.	500	71	84	3000	898	PAR20	30°	E26	25,000	★				24
7P20WD40FL	14099202	7	50W Inc.	500	71	84	4000	593	PAR20	40°	E26	25,000	★				24
11P30WLND27FL	14099203	11	75W Inc.	850	77	83	2700	1,315	LONG NECK PAR30	40°	E26	25,000	★				24
11P30WLND27NF	14099216	11	75W Inc.	850	77	83	2700	2,137	LONG NECK PAR30	30°	E26	25,000	★				24
11P30WLND30FL	14099204	11	75W Inc.	850	77	84	3000	1,315	LONG NECK PAR30	40°	E26	25,000	★				24
11P30WLND40FL	14099205	11	75W Inc.	850	77	83	4000	2,137	LONG NECK PAR30	40°	E26	25,000	★				24
11P30WLND40FL	14099205	11	75W Inc.	850	77	83	4000	1315	LONG NECK PAR30	40°	E26	25,000	★				24
11P30WLND40NF	14099218	11	75W Inc.	850	77	83	4000	2,137	LONG NECK PAR30	25°	E26	25,000	★				24
11P30D27FL	14099226	11	75W Inc.	850	77	84	2700	1,315	SHORT NECK PAR30	40°	E26	25,000	★				24
11P30D27NF	14099230	11	75W Inc.	850	77	84	2700	2,137	SHORT NECK PAR30	30°	E26	25,000	★				24
11P30D30FL	14099227	11	75W Inc.	850	77	84	3000	1,315	SHORT NECK PAR30	40°	E26	25,000	★				24
11P30D30NF	14099231	11	75W Inc.	850	77	80	3000	2,137	SHORT NECK PAR30	30°	E26	25,000					24
11P30D40FL	14099228	11	75W Inc.	850	77	83	4000	1,315	SHORT NECK PAR30	40°	E26	25,000	★				24
11P30D40NF	14099232	11	75W Inc.	850	77	83	4000	2,137	SHORT NECK PAR30	30°	E26	25,000	★				24
13P38WD27FL	14099206	13	100W Inc.	1,050	80	83	2700	1,758	PAR38	40°	E26	25,000	★				24
13P38WD30FL	14099207	13	100W Inc.	1,050	80	84	3000	1,758	PAR38	40°	E26	25,000	★				24
13P38WD40FL	14099208	13	100W Inc.	1,050	80	83	4000	1,758	PAR38	40°	E26	25,000	★				24
13P38WD27NF	14099219	13	100W Inc.	1,050	80	83	2700	3,026	PAR38	30°	E26	25,000	★				24
13P38WD30NF	14099220	13	100W Inc.	1,050	80	84	3000	3,026	PAR38	30°	E26	25,000	★				24
13P38WD40NF	14099221	13	100W Inc.	1,050	80	80	4000	3,026	PAR38	30°	E26	25,000	★				24
15P38WD27FL	14099210	15	120W Inc.	1,250	83	83	2700	2,231	PAR38	40°	E26	25,000	★				24
15P38WD30FL	14099211	15	120W Inc.	1,250	83	83	3000	2,231	PAR38	40°	E26	25,000	★				24
15P38WD40FL	14099212	15	120W Inc.	1,250	83	84	4000	2,231	PAR38	40°	E26	25,000	★				24
13P38WD50FL	14099209	13	100W Inc.	1,050	80	84	5000	2,231	PAR38	40°	E26	25,000	★				24

277V PAR Lamps

277
VOLT



PAR30 - E26 BASE
13W



PAR38 - E26 BASE
17W

CCTs Available:

3000K

4000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	CBCP (CD)	BULB SHAPE	BEAM ANGLE	BASE TYPE	LIFE (HRS)	ENERGY STAR	V24 PAIR E26 (UL LISTED BOTH / BOTH / BOTH) (UL LISTED BOTH / BOTH / BOTH) (UL LISTED BOTH / BOTH / BOTH)	T20 (UL LISTED) (UL LISTED) (UL LISTED)	QTY PER CASE
13P30LNLED230FL	74686	13	90W Inc.	1,000	77	82	3000	1,533	LONG NECK PAR30	40°	E26	25,000				12
13P30LNLED240FL	74645	13	90W Inc.	1,200	92	82	4000	1,533	LONG NECK PAR30	40°	E26	25,000				12
17P38LED230FL	74687	17	120W Inc.	1,700	100	82	3000	2,231	PAR38	40°	E26	25,000				12
17P38LED240FL	74692	17	120W Inc.	1,800	106	82	4000	2,231	PAR38	40°	E26	25,000				12

High Output PAR Lamps



PAR30 - E26 BASE
18W & 19W



PAR38 - E26 BASE
23W, 27W & 38W

CCTs Available:

3000K

4000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	CBCP (CD)	BULB SHAPE	BEAM ANGLE	BASE TYPE	LIFE (HRS)	ENERGY STAR	V24 PAIR E26 (UL LISTED BOTH / BOTH / BOTH) (UL LISTED BOTH / BOTH / BOTH) (UL LISTED BOTH / BOTH / BOTH)	T20 (UL LISTED) (UL LISTED) (UL LISTED)	QTY PER CASE
18P30WD30SP	102755	18	75W Inc.	1,800	100	80	3000	6,155	PAR30	15°	E26	25,000				12
18P30WD40SP	102990	18	75W Inc.	1,800	100	80	4000	6,155	PAR30	15°	E26	25,000				12
20P30WD30NF	102756	19	75W Inc.	2,300	116	80	3000	2,910	PAR30	25°	E26	25,000				12
20P30WD40NF	102991	19	75W Inc.	2,300	116	80	4000	2,910	PAR30	25°	E26	25,000				12
23P38WD30FL	102758	23	250W Inc.	2,650	115	80	3000	3,272	PAR38	40°	E26	25,000				12
23P38WD40FL	102992	23	250W Inc.	2,650	115	80	4000	3,272	PAR38	40°	E26	25,000				12
23P38WD30SP	102757	23	150W Inc.	2,650	115	80	3000	15,762	PAR38	15°	E26	25,000				12
23P38WD40SP	103025	23	150W Inc.	2,650	115	80	4000	15,762	PAR38	15°	E26	25,000				12
27P38WD30NF	102759	27	250W Inc.	3,000	111	80	3000	7,893	PAR38	25°	E26	25,000				12
27P38WD40NF	103026	27	250W Inc.	3,000	111	80	4000	7,893	PAR38	25°	E26	25,000				12
38P38WWD30FL	102629	38	250W Inc.	4,000	105	80	3000	3,272	PAR38	40°	E26	25,000				8
38P38WWD40FL	102741	38	250W Inc.	4,000	105	80	4000	3,272	PAR38	40°	E26	25,000				8
38P38WWD30NF	102742	38	250W Inc.	4,000	105	80	3000	7,893	PAR38	25°	E26	25,000				8
38P38WWD40NF	102743	38	250W Inc.	4,000	105	80	4000	7,893	PAR38	25°	E26	25,000				8

LED Filament Lamps



Filament Globe Lamps



G25 CLEAR - E26 BASE
3W & 4.5W



G25 FROSTED - E26 BASE
3W & 4.5W



CCTs Available:

2700K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	ENERGY STAR	V24 PART 2 VARIABLE VOLTAGE DIMMABLE	T20 LISTED APPEARANCE LIFE-SIMILAR REGULATIONS	QTY PER CASE
EF3G25D27	103764	3	40W Inc.	350	116	80	2700	G25	E26	15,000				24
EF3G25D50	103765	3	40W Inc.	350	116	80	5000	G25	E26	15,000				24
EFF3G25D27	103766	3	40W Inc.	350	116	80	2700	G25	E26	15,000				24
EFF3G25D50	103767	3	40W Inc.	350	116	80	5000	G25	E26	15,000				24
EF4.5G25D27	103744	4.5	60W Inc.	500	111	80	2700	G25	E26	15,000				24
EF4.5G25D50	103768	4.5	60W Inc.	500	111	80	5000	G25	E26	15,000				24
EFF4.5G25D27	103770	4.5	60W Inc.	500	111	80	2700	G25	E26	15,000				24
EFF4.5G25D50	103771	4.5	60W Inc.	500	111	80	5000	G25	E26	15,000				24

Filament A15 Lamps



A15 - E26 BASE
7W



CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	ENERGY STAR	V24 PART 2 VARIABLE VOLTAGE DIMMABLE	T20 LISTED APPEARANCE LIFE-SIMILAR REGULATIONS	QTY PER CASE
FF7A15D27	102753	7	60W Inc.	800	114	80	2700	A15	E26	15,000				50
FF7A15D30	102754	7	60W Inc.	800	114	80	3000	A15	E26	15,000				50

Filament B10 Lamps



B10 - E12 BASE
4W

CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
F4B10D27	14099267	4	40W Inc.	300	75	83	2700	BLUNT TIP B10	E12	15,000	★			100

Frosted Filament B10 Lamps



B10 - E12 BASE
3.5W & 5W



B10 - E26 BASE
3.5W & 5W



B10 - E12 BASE
3.5W & 5W



B10 - E26 BASE
3.5W & 5W

CCTs Available:

2700K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
EFF3.5B1027C	14101727	3.5	40W Inc.	325	92	80	2700	BLUNT TIP B10	E12	15,000	★			100
EFF3.5BA1027C	14101726	3.5	40W Inc.	325	92	80	2700	BLUNT TIP B10	E12	15,000	★			100
EFF3.5B1027	14101729	3.5	40W Inc.	325	92	80	2700	BLUNT TIP B10	E26	15,000	★			100
EFF3.5BA1027	14101728	3.5	40W Inc.	325	92	80	2700	BLUNT TIP B10	E26	15,000	★			100
EFF5B1027C	14101731	5	60W Inc.	525	105	80	2700	FLAME TIP B10	E12	15,000	★			100
EFF5BA1027C	14101730	5	60W Inc.	525	105	80	2700	FLAME TIP B10	E12	15,000	★			100
EFF5B1027	14101733	5	60W Inc.	525	105	80	2700	FLAME TIP B10	E26	15,000	★			100
EFF5BA1027	14101732	5	60W Inc.	525	105	80	2700	FLAME TIP B10	E26	15,000	★			100

Filament T20/JA8 B10 Lamps



CLEAR B10 - E12 BASE
4W



FROSTED B10 - E12 BASE
4W

CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
EF4B10D927/JA8	103409	4	40W Inc.	300	75	94	2700	BLUNT TIP B10	E12	15,000				48
EF4B10D930/JA8	103410	4	40W Inc.	300	75	94	3000	BLUNT TIP B10	E12	15,000				48
EFF4B10D927/JA8	103121	4	40W Inc.	300	75	94	2700	BLUNT TIP B10	E12	15,000				48
EFF4B10D930/JA8	103122	4	40W Inc.	300	75	94	2700	BLUNT TIP B10	E12	15,000				48

Filament T Lamps



5" T10 - E26 BASE
4W



7" T10 - E26 BASE
4.5W



T12 - E26 BASE
8.5W



T12 - GU24 BASE
8.5W

CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
F4T10DLED927/JA8	1409894	4	40W Inc.	300	75	91	2700	5" T10	E26	15,000				100
F4.5T10L7D927	14098858	4.5	40W Inc.	315	70	91	2700	7" T10	E26	15,000				100
EF8.5T12D927/JA8	101335	8.5	60W Inc.	800	90	90	2700	T12	E26	15,000				100
EFF8.5T12GUD930/JA8	101326	8.5	60W Inc.	800	90	90	4000	T12	GU24	15,000				100

Filament Non-Dimmable A Lamps



A19 - E26 BASE
8.5W

CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
F8.5A19ND927	14098845	8.5	60W Inc.	800	94	90	2700	A19	E26	15,000				50
F8.5A19ND930	14099084	8.5	60W Inc.	800	94	93	3000	A19	E26	15,000				50

Frosted Filament A Lamps



A19 - E26 BASE
4.5W & 10W



FROSTED A19 - E26 BASE
8.5W



A21 - E26 BASE
13W

CCTs Available:

2700K

3000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
EFF4.5A19D27	14101717	4.5	40W Inc.	450	100	80	2700	A19	E26	15,000				50
EFF4.5A19D30	14101718	4.5	40W Inc.	450	100	80	3000	A19	E26	15,000				50
EFF4.5A19D50	14101719	4.5	40W Inc.	450	100	80	5000	A19	E26	15,000				50
EFF8.5A19D927/JA8	101150	8.5	60W Inc.	800	94	90	2700	A19	E26	15,000				50
EFF8.5A19D930/JA8	102434	8.5	60W Inc.	800	94	90	3000	A19	E26	15,000				50
EFF10A19D27	14101720	10	75W Inc.	1,100	110	80	2700	A19	E26	15,000				50
EFF10A19D30	14101721	10	75W Inc.	1,100	110	80	3000	A19	E26	15,000				50
EFF10A19D50	14101722	10	75W Inc.	1,100	110	80	5000	A19	E26	15,000				50
EFF13A21D27	14101723	13	100W Inc.	1,600	123	80	2700	A21	E26	15,000				50
EFF13A21D30	14101724	13	100W Inc.	1,600	123	80	3000	A21	E26	15,000				50
EFF13A21D50	14101725	13	100W Inc.	1,600	123	80	5000	A21	E26	15,000				50

Filament T20/JA8 A Lamps



CLEAR A19 - E26 BASE
8.5W



FROSTED A19 - E26 BASE
8.5W

CCTs Available:

2700K

3000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
EF8.5A19D927/JA8	102275	8.5	60W Inc.	800	94	91	2700	A19	E26	15,000				24
EF8.5A19D930/JA8	102999	8.5	60W Inc.	800	94	91	3000	A19	E26	15,000				24
EFF8.5A19D927/JA8	101150	8.5	60W Inc.	800	94	90	2700	A19	E26	15,000				50
EFF8.5A19D930/JA8	102434	8.5	60W Inc.	800	94	90	3000	A19	E26	15,000				50

Filament Marquee Lamps



CLEAR S14 - E26 BASE
2W



FROSTED S14 - E26 BASE
2W

CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
F2S14ND27	101418	2	11W Inc.	200	100	82	2700	S14	E26	15,000				50
FF2S14ND27	101425	2	11W Inc.	160	80	82	2700	S14	E26	15,000				50

Filament Edison Shape Lamps



ST19 - E26 BASE
6.5W



ST19 - E26 BASE
7W

CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)				QTY PER CASE
V6.5ST19DLED922/JA8	1409893	6.5	40W Inc.	450	69	96	2200	ST19	E26	15,000				50
F7ST19DLED927/JA8	14098828	7	60W Inc.	600	86	92	2700	ST19	E26	15,000				50

LED PL Lamps



PL Retrofit Lamps (UL Type-B)



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
6PLE26LED27	76606	6	13W CFL	570	83	81	2700	PL	E26	50,000	120-277			50
6PLE26LED30	76607	6	13W CFL	570	83	85	3000	PL	E26	50,000	120-277			50
6PLG24QLED27	76608	6	13W CFL	570	83	85	2700	PL	G24q	50,000	120-277			50
6PLG24QLED30	76609	6	13W CFL	570	83	85	3000	PL	G24q	50,000	120-277			50
6PLG24QLED35	76610	6	13W CFL	600	88	85	3500	PL	G24q	50,000	120-277			50
6PLG24QLED40	76611	6	13W CFL	600	88	85	4000	PL	G24q	50,000	120-277			50
6PLG24QLED50	76612	6	13W CFL	600	88	86	5000	PL	G24q	50,000	120-277			50
6PLGU24LED27	76613	6	13W CFL	570	83	85	2700	PL	GU24	50,000	120-277			50
6PLGU24LED30	76614	6	13W CFL	570	83	82	3000	PL	GU24	50,000	120-277			50
6PLGU24LED40	76615	6	13W CFL	600	88	85	4000	PL	GU24	50,000	120-277			50
6PLGX23LED27	76616	6	13W CFL	570	83	85	2700	PL	GX23	50,000	120-277			50
6PLGX23LED35	76617	6	13W CFL	600	88	85	3500	PL	GX23	50,000	120-277			50
6PLGX23LED40	76618	6	13W CFL	600	88	85	4000	PL	GX23	50,000	120-277			50
6PLGX23LED50	76619	6	13W CFL	600	88	85	5000	PL	GX23	50,000	120-277			50
8PLE26LED27	76620	8	18W CFL	920	84	85	2700	PL	E26	50,000	120-277			50
8PLE26LED30	76621	8	18W CFL	920	84	85	3000	PL	E26	50,000	120-277			50
8PLG24QLED27	76488	8	18W CFL	920	84	85	2700	PL	G24q	50,000	120-277			50
8PLG24QLED30	76489	8	18W CFL	920	84	85	3000	PL	G24q	50,000	120-277			50
8PLG24QLED35	76490	8	18W CFL	960	91	85	3500	PL	G24q	50,000	120-277			50
8PLG24QLED40	76491	8	18W CFL	960	91	85	4000	PL	G24q	50,000	120-277			50
8PLG24QLED50	76492	8	18W CFL	960	91	86	5000	PL	G24q	50,000	120-277			50
8PLGU24LED27	76622	8	18W CFL	920	84	85	2700	PL	GU24	50,000	120-277			50
8PLGU24LED30	76623	8	18W CFL	920	84	85	3000	PL	GU24	50,000	120-277			50
8PLGU24LED40	76624	8	18W CFL	960	91	85	4000	PL	GU24	50,000	120-277			50
8PLGX23LED27	76625	8	18W CFL	920	84	85	2700	PL	GX23	50,000	120-277			50
8PLGX23LED35	76626	8	18W CFL	960	91	85	3500	PL	GX23	50,000	120-277			50
8PLGX23LED40	76627	8	18W CFL	960	91	85	4000	PL	GX23	50,000	120-277			50
8PLGX23LED50	76628	8	18W CFL	960	91	85	5000	PL	GX23	50,000	120-277			50


PL DirectFit Retrofit Lamps (UL Type-A)



HORIZONTAL PL - G24q BASE
12W



VERTICAL PL - G24q BASE
12W



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
12PLG24QHLED27	1408684	12	26W CFL	900	75	82	2700	PL	G24q, GX24	50,000	120-277			50
12PLG24QHLED30	1408988	12	26W CFL	950	79	82	3000	PL	G24q, GX24	50,000	120-277			50
12PLG24QHLED35	1408685	12	26W CFL	1,000	83	82	3500	PL	G24q, GX24	50,000	120-277			50
12PLG24QHLED40	1408686	12	26W CFL	1,000	83	82	4000	PL	G24q, GX24	50,000	120-277			50
12PLG24QVLED27	1408687	12	26W CFL	900	75	82	2700	PL	G24q, GX24	50,000	120-277			50
12PLG24QVLED30	1408989	12	26W CFL	950	79	82	3000	PL	G24q, GX24	50,000	120-277			50
12PLG24QVLED35	1408688	12	26W CFL	1,000	83	82	3500	PL	G24q, GX24	50,000	120-277			50
12PLG24QVLED40	1408689	12	26W CFL	1,000	83	82	4000	PL	G24q, GX24	50,000	120-277			50

LED PLL Lamps



PLL DirectFit Lamps



CCTs Available:

- 3500K
- 4000K
- 5000K

PLL - 2G11 BASE
13W

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)		QTY PER CASE
13PLLA35-CG	14100784	13	40W FL	2,050	124	82	3500K	PLL	2G11	50,000		24
13PLLA40-CG	14100785	13	40W FL	2,100	127	82	4000K	PLL	2G11	50,000		24
13PLLA50-CG	103285	13	40W FL	2,100	127	82	5000K	PLL	2G11	50,000		24

PLL Bypass Lamps



CCTs Available:

- 3500K
- 4000K
- 5000K

PLL - 2G11 BASE
13W

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE		QTY PER CASE
17PLLB35-CG	14100787	17	40W FL	2,150	127	82	3500K	PLL	2G11	50,000	120-277		24
17PLLB40-CG	14100788	17	40W FL	2,200	130	82	4000K	PLL	2G11	50,000	120-277		24
17PLLB50-CG	14100789	17	40W FL	2,200	130	82	5000K	PLL	2G11	50,000	120-277		24

LED Post Top Lamps



Post Top Lamps




POST TOP - E26 BASE
27W

27PT models do not accept the Sensor (no sensor port)



POST TOP - EX39 BASE
36W



POST TOP - EX39 BASE
45W



POST TOP - EX39 BASE
54W

























POST TOP - EX39 BASE
100W



CCTs Available:

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE	 	QTY PER CASE
27PT40E26	14102035	27	100W HID	3,900	144	80	4000	POST TOP	E26	50,000	100-277	 	16
27PT50E26	14102034	27	100W HID	3,900	144	80	5000	POST TOP	E26	50,000	100-277	 	16
36PT40EX39	14102037	36	150W HID	5,400	150	80	4000	POST TOP	EX39	50,000	100-277	 	16
36PT50EX39	14102036	36	150W HID	5,400	150	80	5000	POST TOP	EX39	50,000	100-277	 	16
45PT40EX39	14102039	45	175W HID	6,750	150	80	4000	POST TOP	EX39	50,000	100-277	 	16
45PT50EX39	14102038	45	175W HID	6,750	150	80	5000	POST TOP	EX39	50,000	100-277	 	16
54PT40EX39	14102041	54	200-250W HID	8,100	150	80	4000	POST TOP	EX39	50,000	100-277	 	16
54PT50EX39	14102040	54	200-250W HID	8,100	150	80	5000	POST TOP	EX39	50,000	100-277	 	16
100PT40EX39	14102043	100	400W HID	15,000	150	80	4000	POST TOP	EX39	50,000	100-277	 	6
100PT50EX39	14102042	100	400W HID	15,000	150	80	5000	POST TOP	EX39	50,000	100-277	 	6

LED High Bay Lamps



DirectFit High Bay Lamps (UL Type-A)



HIGH BAY - EX39 BASE
145W





HIGH BAY - EX39 BASE
250W

CCTs Available:

5000K



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	BULB SHAPE	BASE TYPE	LIFE (HRS)	 	QTY PER CASE
E145MH750	14101699	145	200-250W HID	19,000	131	70	5000	HIGH BAY	EX39	60,000		4
250MH750	14101700	250	1000W HID	37,000	148	70	5000	HIGH BAY	EX39	60,000		4

LED Linear Lamps



DirectFit T8 Linear Lamps (UL Type-A+B)



T8 - G13 BASE
COATED GLASS

CCTs Available:

3500K

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
L9T8AB235-CG	102777	9	17W FL	1,350	113	80	3500	2'	T8	G13	50,000	120-277			25
L9T8AB240-CG	102769	9	17W FL	1,380	113	80	4000	2'	T8	G13	50,000	120-277			25
L9T8AB250-CG	102770	9	17W FL	1,420	118	80	5000	2'	T8	G13	50,000	120-277			25
L11T8AB335-CG	102771	11	25W FL	1,600	114	80	3500	3'	T8	G13	50,000	120-277			25
L11T8AB340-CG	102772	11	25W FL	1,625	116	80	4000	3'	T8	G13	50,000	120-277			25
L11T8AB350-CG	102773	11	25W FL	1,650	118	80	5000	3'	T8	G13	50,000	120-277			25

DirectFit Value T8 Linear Lamps (UL Type-A)



T8 - G13 BASE
FROSTED GLASS

CCTs Available:

4000K

Additional CCT's available.
Please call Maxlite.

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
L10.5T8DF440-GA	103331	10.5	32W FL	1,800	171	80	4000	4'	T8	G13	50,000	BALLAST DEPENDENT			25
L14T8DF440-GA2	103334	14.5	32W FL	2,200	129	80	4000	4'	T8	G13	50,000	BALLAST DEPENDENT			25

DirectFit T8 Linear Lamps (UL Type-A)



T8 - G13 BASE
COATED GLASS

CCTs Available:

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
L9T8AB235-CG	102777	9	17W FL	1,350	113	80	3500	2'	T8	G13	50,000	120-277			25
L9T8AB240-CG	102769	9	17W FL	1,380	113	80	4000	2'	T8	G13	50,000	120-277			25
L9T8AB250-CG	102770	9	17W FL	1,420	118	80	5000	2'	T8	G13	50,000	120-277			25
L9.5T8DF440-CG	14099190	9.5	32W FL	1,800	138	83	4000	4'	T8	G13	50,000	BALLAST DEPENDENT			25
L11T8AB335-CG	102771	11	25W FL	1,600	114	80	3500	3'	T8	G13	50,000	120-277			25
L11T8AB340-CG	102772	11	25W FL	1,625	116	80	4000	3'	T8	G13	50,000	120-277			25
L11T8AB350-CG	102773	11	25W FL	1,650	118	80	5000	3'	T8	G13	50,000	120-277			25
L13T8DF440-CG5	14098819	13	32W FL	1,850	115	82	4000	4'	T8	G13	50,000	BALLAST DEPENDENT			25
L13T8DF450-CG5	14098820	13	32W FL	1,900	118	82	5000	4'	T8	G13	50,000	BALLAST DEPENDENT			25

BAA DirectFit T8 Linear Lamps (UL Type-A)



T8 - G13 BASE
PLASTIC

CCTs Available:

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
USL14T8DF440	14098908	14	32W FL	2,000	111	80	4000	4'	T8	G13	50,000	BALLAST DEPENDENT			12
USL14T8DF450	14098909	14	32W FL	2,000	111	80	5000	4'	T8	G13	50,000	BALLAST DEPENDENT			12

DirectFit U-Bend T8 Linear Lamps (UL Type-A)



T8 U-BEND - G13 BASE
PLASTIC

CCTs Available:

3500K

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
U13T8DF235	1409015	13	32W FL	1,800	113	83	3500	2'	T8 U-BEND	G13	50,000	BALLAST DEPENDENT			12
U13T8DF240	1409016	13	32W FL	1,850	115	83	4000	2'	T8 U-BEND	G13	50,000	BALLAST DEPENDENT			12
U13T8DF250	1409017	13	32W FL	1,900	119	83	5000	2'	T8 U-BEND	G13	50,000	BALLAST DEPENDENT			12

Single/Double Ended T8 Linear Lamps (UL Type-B)



T8 - G13 BASE
COATED GLASS



T8 - G13 BASE
GLASS

CCTs Available:

3500K

4000K

5000K



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE		QTY PER CASE
L9T8AB235-CG	102777	9	17W FL	1,350	113	80	3500	2'	T8	G13	50,000	120-277	■	25
L9T8AB240-CG	102769	9	17W FL	1,380	113	80	4000	2'	T8	G13	50,000	120-277	■	25
L9T8AB250-CG	102770	9	17W FL	1,420	118	80	5000	2'	T8	G13	50,000	120-277	■	25
L11T8AB335-CG	102771	11	25W FL	1,600	114	80	3500	3'	T8	G13	50,000	120-277	■	25
L11T8AB340-CG	102772	11	25W FL	1,625	116	80	4000	3'	T8	G13	50,000	120-277	■	25
L11T8AB350-CG	102773	11	25W FL	1,650	118	80	5000	3'	T8	G13	50,000	120-277	■	25
L11.5T8DE435-CG4	1409558	11.5	32W FL	1,650	143	83	3500	4'	T8	G13	62,000	120-277	■	25
L11.5T8DE440-CG4	1409559	11.5	32W FL	1,750	152	83	4000	4'	T8	G13	62,000	120-277	■	25
L11.5T8DE450-CG4	1409560	11.5	32W FL	1,800	156	83	5000	4'	T8	G13	62,000	120-277	■	25
L17T8DE435-G	14099171	17	32W FL	2,100	121	82	3500	4'	T8	G13	50,000	120-277	■	25
L17T8DE440-G	14099172	17	32W FL	2,200	129	82	4000	4'	T8	G13	50,000	120-277	■	25
L17T8DE450-G	14099173	17	32W FL	2,200	129	82	5000	4'	T8	G13	50,000	120-277	■	25

Internal Driver T8 Linear Lamps (UL Type-B)



T8 - G13 BASE
GLASS

CCTs Available:

4000K



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE		QTY PER CASE
L19T8SE540-G	101601	19	40W FL	2,500	131	82	4000	5'	T8	G13	50,000	120-277		10
L30T8SE640-G	101602	30	70W FL	3,600	120	82	4000	6'	T8	G13	50,000	120-277		10

Internal Driver U-Bend T8 Linear Lamps (UL Type-B)



T8 U-BEND - G13 BASE
PLASTIC

CCTs Available:

3500K

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE	DLC QUALITY LISTED	DLC QUALITY PREMIUM	QTY PER CASE
U15.5T8SE235	1409561	15	32W FL	1,800	116	80	3500	2'	T8 U-BEND	G13	50,000	120-277	■	■	12
U15.5T8SE240	1409562	15	32W FL	1,850	119	80	4000	2'	T8 U-BEND	G13	50,000	120-277	■	■	12
U15.5T8SE250	1409563	15	32W FL	1,900	122	80	5000	2'	T8 U-BEND	G13	50,000	120-277	■	■	12

BAA T8 Linear Lamps (UL Type-B)



T8 - G13 BASE
PLASTIC

CCTs Available:

4000K

5000K

MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE	DLC QUALITY LISTED	DLC QUALITY PREMIUM	QTY PER CASE
USL15T8SE440	14098911	15	32W FL	1,800	120	80	4000	4'	T8	G13	50,000	120-277	■	■	25
USL15T8SE450	14098912	15	32W FL	1,800	120	80	5000	4'	T8	G13	50,000	120-277	■	■	25

External Driver T8 Linear Lamps (UL Type-C)



T8 - G13 BASE
GLASS























CCTs Available:

3500K

4000K

5000K



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE			QTY PER CASE
L7.5T8EX235	14101936	7.5	17W FL	1200	133	82	3500	2'	T8	G13	50,000	120-277			25
L7.5T8EX240	14101937	7.5	17W FL	1200	133	82	4000	2'	T8	G13	50,000	120-277			25
L7.5T8EX250	103413	7.5	17W FL	1200	133	82	5000	2'	T8	G13	50,000	120-277			25
L10.5T8EX335	14101938	10.5	25W FL	1600	128	82	3500	3'	T8	G13	50,000	120-277			25
L10.5T8EX340	14101939	10.5	25W FL	1600	128	82	4000	3'	T8	G13	50,000	120-277			25
L10.5T8EX350	14101940	10.5	25W FL	1600	128	82	5000	3'	T8	G13	50,000	120-277			25
L11.5T8EX435	14101933	11.5	32W FL	1800	138	82	3500	4'	T8	G13	50,000	120-277			25
L11.5T8EX440	14101934	11.5	32W FL	1800	138	82	4000	4'	T8	G13	50,000	120-277			25
L11.5T8EX450	14101935	11.5	32W FL	1800	138	82	5000	4'	T8	G13	50,000	120-277			25
L13T8EX435/G2	14101941	13	32W FL	2200	146	82	3500	4'	T8	G13	50,000	120-277			25
L13T8EX440/G2	14101942	13	32W FL	2200	146	82	4000	4'	T8	G13	50,000	120-277			25
L13T8EX450/G2	14101943	13	32W FL	2200	146	82	5000	4'	T8	G13	50,000	120-277			25

External Drivers



MODEL #	ORDER CODE	TUBE LENGTH	# LAMPS	INPUT VOLTAGE (V)	MIN POWER FACTOR (%)	INRUSH CURRENT	OUTPUT CHANNEL	MAX OUTPUT VOLTAGE (V)	MAX OUTPUT CURRENT (mA)	QTY PER CASE
DDR2L7.5IND	14101944	2'	1 or 2	120-277	0.9	6.8A	2	42Vdc	400mA	25
DDR4L7.5IND	14101945	2'	3 or 4	120-277	0.9	12A	4	42Vdc	800mA	25
DDR2L10.5IND	14101946	3'	1 or 2	120-277	0.9	8.5A	2	42Vdc	520mA	25
DDR4L10.5IND	14101947	3'	3 or 4	120-277	0.9	14A	4	42Vdc	1040mA	25
DDR2L11.5IND	14101948	4'	1 or 2	120-277	0.9	9.2A	2	42Vdc	560mA	25
DDR4L11.5IND	14101949	4'	3 or 4	120-277	0.9	15.2A	4	42Vdc	1120mA	25
DDR2L13IND	14101950	4'	1 or 2	120-277	0.9	10A	2	42Vdc	640mA	25
DDR4L13IND	14101951	4'	3 or 4	120-277	0.9	19.6A	4	42Vdc	1280mA	25

DirectFit T5 Linear Lamps (UL Type-A)



T5 - G13 BASE
COATED GLASS

CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE	DLC LISTED	DLC QUALITY PREMIUM	QTY PER CASE
L25T5DF435-CG5	1409171	25	54W T5HO	3,200	115	83	3500	4'	T5	G5	50,000	BALLAST DEPENDENT	■	■	25
L25T5DF440-CG5	1409172	25	54W T5HO	3,200	115	83	4000	4'	T5	G5	50,000	BALLAST DEPENDENT	■	■	25
L25T5DF450-CG5	1409173	25	54W T5HO	3,200	115	83	5000	4'	T5	G5	50,000	BALLAST DEPENDENT	■	■	25

Single Ended T5 Linear Lamps (UL Type-B)



T5 - G13 BASE
COATED GLASS

CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE	DLC LISTED	DLC QUALITY PREMIUM	QTY PER CASE
L12T5SE235-CG	1409907	12	24W T5HO	1,400	116	83	3500	2'	T5	G5	50,000	120-277	■	■	25
L12T5SE240-CG	1409908	12	24W T5HO	1,450	120	83	4000	2'	T5	G5	50,001	120-277	■	■	25
L12T5SE250-CG	1409909	12	24W T5HO	1,500	125	83	5000	2'	T5	G5	50,002	120-277	■	■	25
L16T5SE335-CG	1409910	16	39W T5HO	1,800	112	83	3500	3'	T5	G5	50,000	120-277	■	■	25
L16T5SE340-CG	1409911	16	39W T5HO	1,850	115	83	4000	3'	T5	G5	50,000	120-277	■	■	25
L16T5SE350-CG	1409912	16	39W T5HO	1,900	118	83	5000	3'	T5	G5	50,000	120-277	■	■	25

High Efficiency T5 Linear Lamps (UL Type-B)



T5 - G13 BASE
COATED GLASS

CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE	DLC LISTED	DLC QUALITY PREMIUM	QTY PER CASE
L13T5SE435-CG	1409889	13	28W T5HE	1,600	123	83	3500	4'	T5	G5	50,000	120-277	■	■	25
L13T5SE440-CG	1409890	13	28W T5HE	1,650	127	83	4000	4'	T5	G5	50,001	120-277	■	■	25
L13T5SE450-CG	1409891	13	28W T5HE	1,700	131	83	5000	4'	T5	G5	50,002	120-277	■	■	25

High Output T5 Linear Lamps (UL Type-B)



T5 - G13 BASE
COATED GLASS


CCTs Available:



MODEL #	ORDER CODE	WATTS (W)	EQUIV.	LUMENS (LM)	EFFICACY (LM/W)	CRI	CCT (K)	LENGTH	BULB SHAPE	BASE TYPE	LIFE (HRS)	VOLTAGE	DLC LISTED	DLC QUALITY PREMIUM	QTY PER CASE
L25T5SE435-CG	1409601	25	54W T5HO	3,200	128	82	3500	4'	T5	G5	50,005	120-277	■	■	25
L25T5SE440-CG	1409602	25	54W T5HO	3,300	132	82	4000	4'	T5	G5	50,006	120-277	■	■	25
L25T5SE450-CG	1409603	25	54W T5HO	3,400	136	82	5000	4'	T5	G5	50,007	120-277	■	■	25

MaxLite Tools & Resources


YouTube Channel (MaxLiteNewsRoom)



Social Media (Find, Like and Follow us on...)



MaxLite.com



MaxLiteUniversity.com



Product Specific Micro Sites



The MaxLite logo features the word "Max" in a bold, green, sans-serif font, followed by "Lite" in a bold, black, sans-serif font. A registered trademark symbol (®) is positioned to the upper right of the "e" in "Lite".

MaxLite®

A NEW WAVE OF LIGHT

www.maxlite.com

Find, like and follow us on social media.



Item # LAMPSCATALOG

Ord. Code: 104362

Corporate Headquarters

12 York Ave.
West Caldwell, NJ 07006
T: 1-800-555-5629
F: 973-244-7333

Indiana Facility

998 Gerdt Court
Greenwood, IN 46143
T: 317-300-0130

California Facility

1148 North Ocean Circle
Anaheim, CA 92806
T: 1-800-793-1212
F: 714-678-5096